

STRADA ATHLETE



STRADA

TT B





• NEW Two-tone Leather Seats • Touchscreen Multimedia Entertainment System with GPS Navigation and Reverse Camera Dual Zone Automatic Climate Control System (Athlete 4WD) • 8-Way Power Adjustable Driver's Seat (Athlete 4WD)

Super Select 4WD-II Electronic Dial Selector




*

STRADA ATHLETE

 \mathbf{x}

2H (rear wheel drive) Shift into rear-wheel drive for cruising down the highway or going across town.



4LLc (4WD low range with locked center differential) Gives the power you need to slog through rough terrains and mud.



4H (4WD high range 40:60 front/ rear torque split) Gives you greater control and added traction for highway

cruising and slippery roads

Off-Road Mode Traction Control The different modes optimize the engine power transmission and braking force for each situation to maximize off-road performance.





Now made even bolder and sportier with new desi accents that match its robust performance:

- 2nd-Generation Dynamic Shield Concept Fascia Black Roof
- Black Radiator Grille
- Black Alloy Wheels
- Body Graphics
- Styling Bar with Bed Liner (Dealer Equipped)
- Black Rear Bumper
- Black Tailgate Grip



Robust Performance

(4N15) 2.4L 4 In-line DOHC 16-Valve Clean Diesel with Variable Geometry Turbo [VGT] and Mitsubishi Innovative Valve timing Electronic Control [MIVEC] Technology



• Max. torque: 430 Nm @2,500 rpm



6-speed automatic with Sport Mode Magnesium alloy paddle shifters Cruise Control



6-speed manual



Easy Select 4WD Electronic Dial Selector (GLS 4WD M/T)



2H (2WD High Range)

When you're just cruising down the highway or just going across town, 2H mode shifts you into rear-wheel drive for fuel-efficient performance.

STRADA



4LLc (4WD Low Range with Locked Center Differential) Switch to 4LLc when you need all the power to slog through the roughest terrain... even the

stickiest mud.



Leather-wrapped steering wheel with magnesium alloy paddle shifters, audio & cruise controls

STRADA

Whenever the terrain needs to be tamed, the Mitsubishi Strada is ready to jump into the action with reliable 4WD performance that goes beyond tough.

Impressive Comfort



Dynamic Style




• 2nd-Generation Dynamic Shield Concept Fascia • LED Daytime Running Lights [DRL] and headlights with halogen fog lamps





The J-line design is a clever engineering design made to shorten the wheelbase and maximize interior space

All-Around Protection



18" two-tone alloy wheels

with 265/60/18 tires (GLS)

Anti-Lock Braking System [ABS] - Equipped with Electronic Brakeforce Distribution [EBD]



Genuine

Accessories





17" two-tone alloy wheels

with 245/65/17 tires (GLX PLUS)

Auto High-Beam (Athlete 4WD)



Front Bumper Garnish-Black MZ331339 / Gray MZ331334

Hood Protector-MZ331342





Mitsubishi Active Stability and Traction Control [M-ASTC]

Ultrasonic Misacceleration Mitigation System [UMS]

Blind Spot Warning System [BSW] with Lane Change Assist [LCA] (Athlete 4WD)

(Athlete 4WD)




Hill Descent Control [HDC] (Athlete 4WD)



Rear Cross Traffic Alert [RCTA] (Athlete 4WD)

Forward Collision Mitigation System [FCM] (Athlete 4WD)

Hill Start Assist [HSA]



Trailer Stability Assist [TSA]

LED rear combination lamps with fog lamps

berell engin m	STRADA	ATHLETE 4WD A/T	ATHLETE 2WD A/T	GLS 4WD M/T	GLS 2WD A/T	GLS 2WD M/T	GLX PLUS 2WD M/T
Docal Height mm 1,15 Whee Name 1,795 1,780 Whee Name 000 205 Mine Name 1,260 / 1,515 205 Tread Forgin May mm 2,790 2,790 Start Marken May 1,262 / 1,515 2750 Care Wread Weight 40 2,790 2,790 Ware Name Care Weight 40 2,790 2,790 Start Tark Care Weight 40 2,790 2,790 Ware Name Care Weight 40 2,790 2,790 Start Tark Care Weight 10 3,900 1000 Start Tark Care Weight 10 2,790 2,900 Start Tark Care Weight 10 2,900 2,900 Start Tark Care Weight 10 2,900 2,900 Start Tark Care Weight 10 2,900	GENERAL SPECIFICATIONS						
Docal Height mm 1,15 Whee Name 1,795 1,780 Whee Name 000 205 Mine Name 1,260 / 1,515 205 Tread Forgin May mm 2,790 2,790 Start Marken May 1,262 / 1,515 2750 Care Wread Weight 40 2,790 2,790 Ware Name Care Weight 40 2,790 2,790 Start Tark Care Weight 40 2,790 2,790 Ware Name Care Weight 40 2,790 2,790 Start Tark Care Weight 10 3,900 1000 Start Tark Care Weight 10 2,790 2,900 Start Tark Care Weight 10 2,900 2,900 Start Tark Care Weight 10 2,900 2,900 Start Tark Care Weight 10 2,900				5,	300		
Wheelbaar mm 5,000 200 201							
Wite/Bask mm 3,000 305 Freed Front/Real mm 220 220 2,70 Starter Version 73 3,820 3,820 3,820 Freed Front/Real mm 73 3,820 3,820 3,820 Wite Name 75 3,820	Overall Height mm						,780
Yin: Craue Prime 20 05 Tread Front/Pail 7,760 2,770 2,780							
Gross Menike Weight 19 2.870 2.760 2.870 2.780 1.810 Cell Tank Capedby L 75 1.810 1.810 1.810 Cell Tank Capedby L 75 1.810 1.810 1.810 Vell Tank Capedby L 75 1.810 1.810 1.810 Vell Tank Capedby L 75 5.9 1.810 1.810 Model and Type Lettins DOLL Le-Value Clean Diesel with VCT and MVEC 1.812 1.813 1.810 Yes, Foruse Nm/pm Election Common Bill Direct Hjection 1.817 (3.200 1.812 (3.200 1.813 (3.200 Yes, Foruse Nm/pm 4.50 (7.817 1.014 0.59 (5.60 (7.817 1.014) 2.45 (.50 (7.817 1.014) 1.81 (3.21 (3.200 (3.21 (3.2	Min. Ground Clearance mm						
Gross Menike Weight 19 2.870 2.760 2.870 2.780 1.810 Cell Tank Capedby L 75 1.810 1.810 1.810 Cell Tank Capedby L 75 1.810 1.810 1.810 Vell Tank Capedby L 75 1.810 1.810 1.810 Vell Tank Capedby L 75 5.9 1.810 1.810 Model and Type Lettins DOLL Le-Value Clean Diesel with VCT and MVEC 1.812 1.813 1.810 Yes, Foruse Nm/pm Election Common Bill Direct Hjection 1.817 (3.200 1.812 (3.200 1.813 (3.200 Yes, Foruse Nm/pm 4.50 (7.817 1.014 0.59 (5.60 (7.817 1.014) 2.45 (.50 (7.817 1.014) 1.81 (3.21 (3.200 (3.21 (3.2				1,520	/ 1,515		
Und Weight 1925 3,11.0 1.915 1.910 Verd Track Capacity 1 75 1.910 1.910 Win Turning Padus m 5.9 1.910 1.910 Win Turning Padus m 1.910 1.910 1.910 Win Turning Padus m 1.910 1.910 1.910 Win Turning Padus 1.910 1.910 1.910 1.910 Win State 1.910 1.910 1.910 1.910 1.910 Win State 1.910 0.500 0.500 1.910	Gross Vehicle Weight kg	2,870	2,760	2,870		2,760	
Turk Tarking Radius 75 Min Turking Radius 75 Min Turking Radius 5.9 Model and Type (AND 5).2.4.4 in-line DDMC 16-Valve Clean Dissel with VCT and MIVEC Subsystem Electronic Common Rall Direct Injection Max. Rever Pat/pm Max. Rever Pat/pm TRAX-MINISION 6-5peed Trace And WheeLS 6-5peed Tires 265 / 60 / R18 110H Trace And WheeLS 265 / 60 / R18 110H Tires 1.0° Ventilated Discs Storture 1.0° Ventilated Discs Storture <td>Curb Weight kg</td> <td>1,925</td> <td>1,810</td> <td>1,915</td> <td></td> <td colspan="2"></td>	Curb Weight kg	1,925	1,810	1,915			
Nodel and Type Valel and Type Valel and Type Valel and Type Vale and							
Model and Type (AN15) 2.4.4 4in-lane DDirC 12-4-Value Can Disert With VC and MIVIC We System Pa/rpm Electronic Common Pail Direct Injection Tax. Torque Nnn/rpm 4.9/2,000 TAX. Torque Nnn/rpm 4.9/2,000 TAX. Torque Nnn/rpm 2.9/2,000 TAX. Torque N	Min. Turning Radius m						
Model and Type (AN15) 2.4.4 4in-lane DDirC 12-4-Value Can Disert With VC and MIVIC We System Pa/rpm Electronic Common Pail Direct Injection Tax. Torque Nnn/rpm 4.9/2,000 TAX. Torque Nnn/rpm 4.9/2,000 TAX. Torque Nnn/rpm 2.9/2,000 TAX. Torque N	ENCINE						
Tuel System Electronic Common Ral Direct Injection Max. Rower Ps/pm Max. Rower Ps/pm Max. Rower Ps/pm Max. Rower Ps/pm Max. Rower As/2,200 TRALMISSION 450/2,500 TRALMISSION 6-Speed Figs Super Select 40D Mirets 265 / 60 / R18 110H Mirets 18" x 7.53 Black Alloy 18" x 7.53 Black Alloy 18" x 7.50 Two-Tone Alloy 18" x 7.53 Black Alloy 18" x 7.50 Two-Tone Alloy RRAKES 10" Ventilated Discs Front 12" Ventilated Discs Suspension 00 Uble Wishbone with Coll Springs and Stabilizer Bar Rear Rold Elliptic Leaf Springs with Telescopic Shock Absorber Steering Rock and Pinion Power Steering Equipped (Hydraulic-Type) Steering Wheal 4-Spoke Leather-Wrapped 4-Spoke Litethane Audio System 6 (Including 2 Tweeters) 4 Autaman Spt. ELR with Double Pretensioner, Force Limiter Function, and Adjustable Anchor x 2 Rear 3 pt. ELR with 3 pt. ELR with 3 pt. ELR x 3 </td <td></td> <td colspan="6">(4N15) 2 4L 4 In-line DOHC 16-Valve Clean Diesel with VCT and MIVEC</td>		(4N15) 2 4L 4 In-line DOHC 16-Valve Clean Diesel with VCT and MIVEC					
Max. Forque Nnr/pm 181 / 3,500 Max. Torque Nnr/pm 430 / 2,500 TREAMMISSION Type Super Select 4WD-II 6-Speed Easy Select 4WD 6-Speed TRES AND WHEELS TRES AND WHEELS TRES AND WHEELS TRES AND WHEELS Tres 18' x 7.51 Elack Alloy 18' x 7.51 Two-Tone Alloy 12' x 7.01 Two-Tone Alloy Tres 245 / 65 / R17 110H 17' x 7.01 Two-Tone Alloy Tres 245 / 65 / R17 110H 17' x 7.01 Two-Tone Alloy Tres 30 Tres 30 Tres 30 Tres 30 Tres 30 Tres 40 Tres 40							
Max. Torque Nm/rpm 430 / 2,500 TRANSISION Super Select 4WD-II 6-Speed Easy Select 4WD 6-Speed TRANSISION 245 / 65 / R12 110H TRES AND WHEELS 2265 / 60 / R18 110H 245 / 65 / R12 110H Mitelia 16" x 7.53 Black Alloy 18" x 7.53 Two-Tone Alloy 12" x 7.03 Two-Tone Alloy 12" x 7.03 Two-Tone Alloy RRAKES 10" 10" Ventilated Discs 10" Ventilated Dis							
TRANSMISSION Super Select 4WD-II 6-Speed Type Super Select 4WD-II 6-Speed Trees AND WHEELS Trees 265 / 60 / R18 110H 225 / 55 / R17 110H Wheels 18" x 7.53 Black Alloy 18" x 7.53 Two-Tone Alloy 17" x 7.03 Two-Tone Alloy BRAKES 10" Ventilated Discs 16" Ventilated Discs Front 10" Ventilated Discs 16" Ventilated Discs Baar 11.6" Leading and Trailing Drums 16" Ventilated Discs Super Stering 0uble Wishbone with Coil Springs and Stabilizer Bar Baar Rigid Elliptic Leaf Springs with Telescopic Shock Absorber Steering Wheel 4-Spoke Leather-Wrapped with Orange Stitching 4-Spoke Leather-Wrapped Autor System Sprakers 6 (Including 2 Tweeters) 4 Safety 3 pt. ELR with Boule Pretensioner, Force Limiter Function, and Adjustable Anchor x 2 Rear 3 pt. ELR with So pt. ELR with 3 pt. ELR with Prote Limiter and Adjustable Anchor x 2 Seatewards 6 (Including 2 Tweeters) 4 Artenna Rear 3 pt. ELR with Double Pretensioner, Force Limiter Function, and Adjustable Anchor x 2 Rear 3 pt. ELR with So pt. ELR with Double Pretensioner 3 pt. ELR with Prote Limiter and Adjustable Anchor x 2 Rear 3 pt. ELR with Double Pretensioner <td></td> <td colspan="6"></td>							
Type Super Select 4WD-ii 6-Speed TIRES AND WHELS	· · · · ·			,			
Tires AND WHELS Tires 265 / 60 / R18 110H 245 / 65 / R21 110H Tires 245 / 65 / R21 110H 245 / 65 / R21 11		Super Select 4WD-II	6-Speed	Easy Select 4WD		6-Speed	
Titles 265 / 60 / R18 110H 265 / 61 / R12 110H Wheels 18" x 7.53 Black Alloy 18" x 7.53 Two-Tone Alloy 17" x 7.03 Two-Tone Alloy BRAKES 12" Ventilated Discs 16" Ventilated Discs 16" Ventilated Discs Front 12" Ventilated Discs 16" Ventilated Discs 16" Ventilated Discs Suppersion 11.6" Leading and Trailing Drums 16" Ventilated Discs Starter 11.6" Leading and Trailing Drums 16" Ventilated Discs Starter Double Wishbone with Coll Springs and Stabilizer Bar Rear Rear Rigid Elliptic Leaf Springs with Telescopic Shock Absorber Stetema Steering Mueel 4-Spoke Leather-Wrapped with Orange Stitching 4-Spoke Leather-Wrapped Antenna Roof Mounted 4 Speakers 6 (Including 2 Tweeters) 4 Antenna Spt. ELR with Spt. ELR with Pretensioner, Force Limiter Function, and Adjustable Anchor x 2 With Force Limiter and Adjustable Anchor x 2 Spt. ELR x 3 Spt. ELR x 2 and 2 pt. Lapbel Rear Spt. ELR x 3 Spt. ELR x 2 and 2 pt. Lapbel				,			
Mineels 18" x 7.53 Black Alloy 18" x 7.53 Two-Tone Alloy 17" x 7.03 Two-Tone Alloy BRAKES 11" Y Untilated Discs 16" Ventilated Discs Rear 11.6" Leading and Trailing Drums SUSPENSION Tort Double Wishbone with Coll Springs and Stabilizer Bar Rear Rigid Elliptic Leaf Springs with Telescopic Shock Absorber TeleRink Steering Back and Pinion Equipped (Hydraulic-Type) Steering Wheel 4-Spoke Leather-Wrapped with Orange Stitching 4-Spoke Leather-Wrapped 4-Spoke Leather-Wrapped Authorsystem 6 (Including 2 Tweeters) 4 Speakers 6 (Including 2 Tweeters) 4 Anterina Roof Mounted 4 SafetTY 3 pt. ELR with Double Pretensioner (Driver) 3 pt. ELR with Double Pretensioner and Adjustable Anchor x 2 Rear 3 pt. ELR x3 3 pt. ELR x3 3 pt. ELR x2 and 2 pt. Lapbel				265 / 60 / 019 1100			2/5 / 65 / 017 1104
BRAKES Intervent in							
Front 1?' Ventilated Discs 16' Ventilated Discs Rear 11.6' Leading and Trailing Drums USPENSION Front Double Wishbone with Coll Springs and Stabilizer Bar Rear Rigid Elliptic Leaf Springs with Telescopic Shock Absorber Steering Rack and Pinion Power Steering Rack and Pinion Steering Wheel 4-Spoke Leather-Wrapped with Orange Stitching 4-Spoke Leather-Wrapped Aubio system Speakers 6 (Including 2 Tweeters) Speakers 6 (Including 2 Tweeters) 4 SafeTY 3 pt. ELR with Speakers) 4 SafeTY Spe. ELB with Droker 2 3 pt. ELR with Pretensioner, Force Limiter Function, and Adjustable Anchor x 2 and Adjustable Anchor x 2 Rear 3 pt. ELR x 3 3 pt. ELR x 3 3 pt. ELR x 2 and 2 pt. Lapbel Seatbelts Front Dist blish iMotors PH If Mitsubish Motors PH Seatbelts Front 3 pt. ELR x 3 3 pt. ELR x 2 and 2 pt. Lapbel Seatbelts Front Distingle Pretensioner and Adjustable Anchor x 2 3 pt. ELR x 3 Rear 3 pt. ELR x 3 3 pt. ELR x 2 and 2 pt. Lapbel If MitsubishiMotors PH							
Rear 11.6" Leading and Trailing Drums SUSPENSION Double Wishbone with Coil Springs and Stabilizer Bar Rear Rigid Elliptic Leaf Springs with Telescopic Shock Absorber STEERING Rack and Pinion Ower Steering Equipped (Hydraulic-Type) Steering Wheel 4-Spoke Leather-Wrapped with Orange Stitching 4-Spoke Leather-Wrapped AUDIO SYSTEM Speakers 6 (Including 2 Tweeters) 4 Speakers 6 (Including 2 Tweeters) 4 Anterna Roof Mounted Speakers 4 Steering Wheel 3 pt. ELR with Double Pretensioner; Force Limiter Function, and Adjustable Anchor x 2 4 Rear 3 pt. ELR with Pretensioner; Force Limiter Function, and Adjustable Anchor x 2 3 pt. ELR x 3 3 pt. ELR x 2 and 2 pt. Lapbel Rear 3 pt. ELR x 3 3 pt. ELR x 2 and 2 pt. Lapbel Immer and Adjustable Anchor x 2 Rear 3 pt. ELR x 3 3 pt. ELR x 2 and 2 pt. Lapbel							
SUSPENSION Front Double Wishbone with Coil Springs and Stabilizer Bar Rear Rigid Elliptic Leaf Springs with Telescopic Shock Absorber STEERING Gear Type Rack and Pinion Power Steering C4-Spoke Leather-Wrapped with Orange Stitching 4-Spoke Leather-Wrapped 4-Spoke Urethane AUDIO SYSTEM Speakers 6 (Including 2 Tweeters) 4 4 Antenna 6 (Including 2 Tweeters) 4 4 Antenna 7 8 6 (Including 2 Tweeters) 4 4 Antenna 7 8 6 (Including 2 Tweeters) 4 4 Antenna 7 8 7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9							
Front Double Wishbone with Coil Springs and Stabilizer Bar Rear Rigid Elliptic Leaf Springs with Telescopic Shock Absorber STEERING Gear Type Rack and Pinion Power Steering Equipped (Hydraulic-Type) Steering Wheel 4-Spoke Leather-Wrapped with Orange Stitching 4-Spoke Leather-Wrapped 4-Spoke Urethane AuDio SYSTEM Speakers 6 (Including 2 Tweeters) 4 Antenna 6 (Including 2 Tweeters) 4 Antenna 7 Roof Mounted SAFETY Seatbelts Front 3 pt. ELR with Double Pretensioner (Drive) Single (Passenger) With Force Limiter and Adjustable Anchor x 2 Rear 3 pt. ELR x 3 3 pt. ELR x 3 3 pt. ELR x 2 and 2 pt. Lapbel EE12020002 @Mitsubishi Motors Philippines EE12020002 @Mitsubishi Motors Philippines				11.0 Leading ar			
Rear Rigid Elliptic Leaf Springs with Telescopic Shock Absorber STEERING Gear Type Rack and Pinion Power Steering Rack and Pinion Equipped (Hydraulic-Type) Steering Mitel 4-Spoke Leather-Wrapped with Orange Stitching 4-Spoke Leather-Wrapped 4-Spoke Urethane Autor System Speakers 6 (Including 2 Tweeters) 4 Antenna Soft Mounted Safety Rear Speakers Autor Spoke Leather-Urethane Autor Speakers Front Speakers Front Speakers Front Speakers S				Double Wishbone with Co	all Springs and Stabilizer Par		
STEERING Rack and Pinion Cear Type Rack and Pinion Power Steering Equipped (Hydraulic-Type) Steering Wheel 4-Spoke Leather-Wrapped with Orange Stitching 4-Spoke Leather-Wrapped AuDio SYSTEM Speakers 6 (Including 2 Tweeters) 4 Antenna Roof Mounted 4 SAFETY 3 pt. ELR with Double Pretensioner (Driver) 3 pt. ELR with Seatbelts Front Double Pretensioner (Driver) 3 pt. ELR with Seatbelts Front The Cear Type 3 pt. ELR with Pretensioner (Driver) 3 pt. ELR with Pretensioner, Force Limiter Function, and Adjustable Anchor x 2 Rear 3 pt. ELR x 3 3 pt. ELR x 2 and 2 pt. Lapbel Image: Seatbelts Image: Seatbelts Image: Seatbelts Image: Seatbelts Rear 3 pt. ELR x 3 3 pt. ELR x 2 and 2 pt. Lapbel Image: Seatbelts Image: Seatbelts Image: Seatbelts Image: Seatbelts Rear 3 pt. ELR x 3 3 pt. ELR x 2 and 2 pt. Lapbel Image: Seatbelts Image: Seatbelts Image: Seatbelts Image: Seatbelts Image: Seatbelts Image: Seatbelts Rear 3 pt. ELR x 3							
Gear Type Rack and Pinion Power Steering Equipped (Hydraulic-Type) Steering Wheel 4-Spoke Leather-Wrapped with Orange Stitching 4-Spoke Leather-Wrapped Aubio SYSTEM Speakers 6 (Including 2 Tweeters) 4 Speakers 6 (Including 2 Tweeters) 4 Antenna Roof Mounted 4 SaFETY 3 pt. ELR with Double Pretensioner (Driver) Single (Passenger) with Force Limiter and Adjustable Anchor x 2 3 pt. ELR with Pretensioner, Force Limiter Function, and Adjustable Anchor x 2 Rear 3 pt. ELR x 3 3 pt. ELR x 3 3 pt. ELR x 2 and 2 pt. Lapbel		Rigid Elliptic Leat Springs with Telescopic Shock Absorber					
Power Steering Equipped (Hydraulic-Type) Steering Wheel 4-Spoke Leather-Wrapped with Orange Stitching 4-Spoke Leather-Wrapped 4-Spoke Urethane Autono system Speakers 6 (Including 2 Tweeters) 4 Antenna Roof Mounted 4 Safetry 3 pt. ELR with 3 pt. ELR with Double Pretensioner (Driver) Single (Passenger) with Force Limiter and Adjustable Anchor x 2 3 pt. ELR with Pretensioner, Force Limiter Function, and Adjustable Anchor x 2 Rear 3 pt. ELR x 3 3 pt. ELR x 2 and 2 pt. Lapbel Image: Safetry Steer (Driver) Seatbelts 3 pt. ELR x 3 3 pt. ELR x 2 and 2 pt. Lapbel Image: Safetry Steer (Driver) Seatbelts 3 pt. ELR x 3 3 pt. ELR x 2 and 2 pt. Lapbel Rear 3 pt. ELR x 3 3 pt. ELR x 2 and 2 pt. Lapbel Image: Safetry Steer (Driver) Rear 3 pt. ELR x 3 3 pt. ELR x 2 and 2 pt. Lapbel							
Steering Wheel 4-Spoke Leather-Wrapped with Orange Stitching 4-Spoke Leather-Wrapped 4-Spoke Leather-Wrapped Aubio SYSTEM Speakers 6 (Including 2 Tweeters) 4 Speakers 6 (Including 2 Tweeters) 4 Antenna Roof Mounted 4 SaFETY 3 pt. ELR with Double Pretensioner (Driver) 3 pt. ELR with Double Pretensioner (Driver) 3 pt. ELR with Double Pretensioner and Adjustable Anchor x 2 Seatbelts Front Double Pretensioner (Driver) 3 pt. ELR with Double Pretensioner and Adjustable Anchor x 2 3 pt. ELR with Pretensioner, Force Limiter Function, and Adjustable Anchor x 2 Rear 3 pt. ELR x 3 3 pt. ELR x 2 and 2 pt. Lapbel Image: Seatbelts Image: Seatbelts and Adjustable Anchor x 2 3 pt. ELR x 3 Rear 3 pt. ELR x 3 3 pt. ELR x 2 and 2 pt. Lapbel Image: Seatbelts Image: Seatbelts and Adjustable Anchor x 2 3 pt. ELR x 3 Rear 3 pt. ELR x 3 3 pt. ELR x 2 and 2 pt. Lapbel Image: Seatbelts Image: Seatbelts and Adjustable Anchor x 2 Image: Seatbelts and Adjustable Anchor x 2 Rear 3 pt. ELR x 3 3 pt. ELR x 3 Image: Seatbelts and Adjustable Anchor x 3 Image: Seatbelts Image: Seatbelt x 3							
Auterna Control Contro							
Speakers 6 (Including 2 Tweeters) 4 Antenna Roof Mounted SAFETY 3 pt. ELR with Double Pretensioner (Driver) Single (Passenger) with Force Limiter and Adjustable Anchor x 2 3 pt. ELR with Double Pretensioner with Force Limiter and Adjustable Anchor x 2 3 pt. ELR with Pretensioner, Force Limiter Function, and Adjustable Anchor x 2 Rear 3 pt. ELR x 3 3 pt. ELR x 2 and 2 pt. Lapbel Image: Seature of the seatur	Steering Wheel	4-Spoke Leather-Wrapped with Orange Stitching 4-Spoke Leather-Wrapped				4-Spoke Urethane	
Antenna Roof Mounted SAFETY Seatbelts Front Fron	AUDIO SYSTEM						
SAFETY Seatbelts ³ pt. ELR with Double Pretensioner (Driver) Single (Passenger) with Force Limiter and Adjustable Anchor x 2 ³ pt. ELR with Pretensioner, Force Limiter Function, and Adjustable Anchor x 2 Rear ³ pt. ELR x 3 ³ pt. ELR x 3 MitsubishiMotorsPH [©] @mitsubishimotorsph [©] MitsubishiMotorsPH Mitsubishi Motors Philippines ^{Mitsubishi} Motors Philippines ^{MItsubishi} Motors Philippines	Speakers	6 (Including 2 Tweeters) 4					
Seatbelts ³ pt. ELR with Double Pretensioner (Driver) Single (Passenger) with Force Limiter and Adjustable Anchor x 2 ³ pt. ELR with Pretensioner, Force Limiter Function, and Adjustable Anchor x 2 Rear ³ pt. ELR x 3 ³ pt. ELR x 3 BE12020002 ⁰ Mitsubishi Motors Philippines ³ pt. ELR x 3	Antenna	Roof Mounted					
Seatbelts ³ pt. ELR with Double Pretensioner (Driver) Single (Passenger) with Force Limiter and Adjustable Anchor x 2 ³ pt. ELR with Pretensioner, Force Limiter Function, and Adjustable Anchor x 2 Rear ³ pt. ELR x 3 ³ pt. ELR x 3 BE12020002 ⁰ Mitsubishi Motors Philippines ³ pt. ELR x 3	CAFETV						
Front Double Pretensioner (Driver) Single (Passenger) with Force Limiter and Adjustable Anchor x 2 3 pt. ELR with Pretensioner, Force Limiter Function, and Adjustable Anchor x 2 Rear 3 pt. ELR x 3 3 pt. ELR x 2 and 2 pt. Lapbel Image: Seate of the state of the s	SAFEIY	3 pt ELD with					
Seatbelts Front Single (Passenger) with Force Limiter and Adjustable Anchor x 2 Rear 3 pt. ELR x 3 3 pt. ELR x 2 and 2 pt. Lapbel Image:		Double Pretensioner (Driver)					
and Adjustable Anchor x 2 and Adjustable Anchor x 2 Rear 3 pt. ELR x 3 Image: Second and Adjustable Anchor x 2 3 pt. ELR x 3 Image: Second and Adjustable Anchor x 2 3 pt. ELR x 3 Image: Second and Adjustable Anchor x 2 3 pt. ELR x 3 Image: Second and Adjustable Anchor x 2 3 pt. ELR x 3 Image: Second and Adjustable Anchor x 2 3 pt. ELR x 3 Image: Second and Adjustable Anchor x 2 3 pt. ELR x 3 Image: Second and Adjustable Anchor x 2 3 pt. ELR x 3 Image: Second and Adjustable Anchor x 2 Image: Second and Adjustable Anchor x 2 Image: Second and Adjustable Anchor x 2 Image: Second and Adjustable Anchor x 2 Image: Second and Adjustable Anchor x 2 Image: Second and Adjustable Anchor x 2 Image: Second and Adjustable Anchor x 2 Image: Second and Adjustable Anchor x 2 Image: Second and Adjustable Anchor x 2 Image: Second and Adjustable Anchor x 2 Image: Second and Adjustable Anchor x 2 Image: Second and Adjustable Anchor x 2 Image: Second and Adjustable Anchor x 2 Image: Second and Adjustable Anchor x 2 Image: Second and Adjustable Anchor x 2 Image: Second and Adjustable Anchor x 2 Image: Second and Adjustable Anchor x 2 Image: Second and Adjustable Anchor x	Front Seatbelts			3 pt. EL	R with Pretensioner, Force Limi	ter Function, and Adjustable	e Anchor x 2
■ MitsubishiMotorsPH			and Adjustable Anchor x 2				
■ MitsubishiMotorsPH	Rear		11	3 pt. ELR x 3			3 pt. ELR x 2 and 2 pt. Lapbelt
BE12020002 • Mitsubishi Motors Philippines Orporation • Mitsubishi Motors Philippines MITSUBISHI MOTORS		1					,,, _,, _
BE12020002 • Mitsubishi Motors Philippines Orporation • Mitsubishi Motors Philippines MITSUBISHI MOTORS	(1
BE12020002 @ Mitsubishi Motors Philippines Corporation MITSUBISHI MOTORS						itsubishiMotorsPH	
BE12020002 @ Mitsubishi Motors Philippines Corporation MITSUBISHI MOTORS					() () () () () () () () () () () () () (itsubishimotorsph	
BF12020002 @ Mitsubishi Motors Philippines Corporation MOTORS							
BELZUZUUUZ (SIMITSUNISAL MATAES PAULADIAES LAEAATIAA							
	(B	F12020002 © Mitsubis	ni Motors Philippines Cor	poration	J www.mitsut	oishi-motors.com.ph	Drive your Ambition